



ATEX Certified Products

Pumps, Impact Wrenches & Lifting Equipment

tid-extra
d.o.o.




Process Pumps

EXP ATEX Diaphragm Pumps



Carbon Fiber Series Pump



Metallic Series Pump

Smart Carbon Fiber Series

- 1", 1.1/2" and 2" models.
- Up to 696 lpm flow.
- Up to 46 % energy operating cost savings against competition.

Metallic Series

- 1", 1.1/2", 2" and 3" models.
- Up to 1040 lpm flow.
- Up to 68 % energy operating cost savings against competition.

CERTIFIED ATEX ZONE 1



Maintenance & Repair Tools

SP Series Impacttools



2141PSP Composite Impacttool

Composite bodied pistol grip Impacttools

- 3/4" and 1" square drive models.
- Up to 1620 Nm torque.
- Proven reliability and long-life.



2934B2SP-EU Alloy Impacttool

Rugged ZA alloy bodied inline Impacttools

- Two 1" square drive models.
- Up to 2170 Nm torque.
- Proven reliability and long-life.

CERTIFIED ATEX ZONE 1



Lifting Solutions

Air & Hydraulic Hoists

MLK Series Hoists

- 0.25 to 1 metric ton capacity.

HLK Series Hoists

- 1 to 6 metric ton capacity.

Palair® lube free Hoists

- 0.25 to 2 metric ton capacity.

Liftchain® Pneumatic and Hydraulic Hoists

- 1.5 to 100 metric ton capacity.

Trolleys

- A full selection of plain, geared and motorised trolleys available for all hoists.



Palair Plus Chain Hoist



Liftchain Chain Hoist and motorised trolley



HLK Chain Hoist

Utility & Manriding Air Winches

Utility Winches

- For lifting, pulling or tensioning.
- Portable models from 0.15 to 2 ton capacity.
- Heavy capacity models from 2 to 10 tons.

Manriding Winches

- Dedicated winches for offshore oil and drilling.
- Capacities from 150 to 3100 kg.

All winches have type approval certificates from DNV, ABS or LRS.



LS Manrider



LS gear motor winch



Force 5 piston motor winch

CERTIFIED ATEX ZONE 1 *



* The hoists are certified to zone 2 as standard. They are specified to zone 1 with special spark resistant package.

For more information, please contact :

UK & Ireland

Ingersoll-Rand Sales Company Ltd.
Productivity Solutions
Hindley Green
Wigan
Lancashire
WN2 4EZ
England
Tel: +44 (0)1942 257171
Fax: +44 (0)1942 503451

France & Benelux

Ingersoll Rand
Productivity Solutions
Z.I. du Chêne Sorcier
78346 Les Clayes sous Bois
Tel: +33 (0)1 30 07 69 60
Fax: +33 (0)1 30 07 69 80

Spain & Portugal

Ingersoll-Rand Ibérica
Productivity Solutions
Tierra de Barros, 2
28820 - Coslada
Madrid
Spain
Tel: +(34) 91 6277405
Fax: +(34) 91 6277406

Italy

Ingersoll Rand italiana Spa
Strada Provinciale Cassanese 108
20060 VIGNATE, Milano
Italy
Phone: +39 02 950561
Fax: +39 02 95056335

Germany & Central Europe

Ingersoll-Rand GmbH
Productivity Solutions
Wilhelmstrasse 20
45478 Mülheim / Ruhr
Tel: +49 / (0)208 / 9994-0
Fax: +49 / (0)208 / 9994-445
www.ingersollrand.de

Nordic & Baltic Region

Ingersoll-Rand
Productivity Solutions
Drammensveien 126A
0277 Oslo, Norway
Tel: +47 2255 1526
Fax: +47 2243 6581

Russia & CIS

Ingersoll Rand
Bld. 1, 32/1 Myasnitskaya Street
101990 MOSCOW,
Russia
Phone: +7 095 933 03 24
Fax: +7 095 785 21 26

Czech / Slovak Republic

Ingersoll-Rand technical & Services
Ostrovského 34
151 28 PRAGUE,
Czech Republic
Phone: +420 2 57 109 756
Fax: +420 2 57 109 758

Poland

Ingersoll Rand
Nowiniarska 1 ap.1
PL 00-235 WARSAW,
Poland
Phone: +48 22 635 72 45
Fax: +48 22 635 73 32

Southern Africa

Ingersoll-Rand Company SA
PO Box 123720
Alrode 1451
South Africa
Tel: +27 11 864 3930
Fax: +27 11 864 3954

www.ingersollrand.com

Distributed by :

Nothing contained within this brochure is intended to extend any warranty or representation, expressed or implied, regarding the products described herein. Any such warranties or other items or conditions of sale of products shall be in accordance with Ingersoll-Rand's standard terms and conditions of sale for such products, which are available upon request. Product improvement is a continuing goal at Ingersoll-Rand. Designs and specifications are subject to change without notice or obligation.

 **Ingersoll Rand**
Industrial Technologies